



SCANDIC NXT Wall and doors


X101




X102




X104




X201




X202




X203




X204




X207




X209




X309




X400




X402




X409




X107




X108




X109



X109V



X500




Data is subject to changes and/or errors

SCANDIC X101

The niche door has two hinges. The niche door can be enlarged by 1 cm using expanding profile.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Door with lift mechanism



Including wall magnetic profile




Satinato glass possible (not reversible)




CE approved, according to EN12150-1

Article number (L)	Article number (R)	Color	A (cm)
G001001121	G001002121	black	67,8 - 68,2
G001001120	G001002120	chrome	67,8 - 68,2
G001003121	G001004121	black	77,8 - 78,2
G001003120	G001004120	chrome	77,8 - 78,2
G001005121	G001006121	black	87,8 - 88,2
G001005120	G001006120	chrome	87,8 - 88,2
G001007121	G001008121	black	97,8 - 98,2
G001007120	G001008120	chrome	97,8 - 98,2

Optional



Expanding profile
Chrome
208746




Expanding profile
Black
211419

Data is subject to changes and/or errors

SCANDIC X102

The niche door is mounted on the wall. The fixed glass part is mounted on the other wall.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Door with lift mechanism



Satinato glass possible (not reversible)



Stabilization bar with towel hook rectangular



CE approved, according to EN12150-1

Article number (L)	Article number (R)	Color	A (cm)	B (cm)
G001009121	G001010121	black	87,8 - 88,2	21,6
G001009120	G001010120	chrome	87,8 - 88,2	21,6
G001011121	G001012121	black	97,8 - 98,2	31,6
G001011120	G001012120	chrome	97,8 - 98,2	31,6
G001013121*	G001014121*	black	117,8 - 118,2	51,6
G001013120*	G001014120*	chrome	117,8 - 118,2	51,6
G001015121*	G001016121*	black	137,8 - 138,2	71,6
G001015120*	G001016120*	chrome	137,8 - 138,2	71,6
G001017121*	G001018121*	black	157,8 - 158,2	91,6
G001017120*	G001018120*	chrome	157,8 - 158,2	91,6

* The included stabilization bar is 1 meter. A longer version can be ordered separately. The 45 degree stabilization bar can be used on this.

Optional



Stabilization bar 45'
Chrome
208984



Stabilization bar 45'
Black
208962



Stabilization bar chrome
208971 (100cm)
208972 (160cm)




Stabilization bar Black
208960 (100cm)
208961 (160cm)

Data is subject to changes and/or errors

SCANDIC X104

The niche door mounted to a fixed glass section has two fixing points. The niche door can be enlarged by 1 cm using an accessory.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Door with lift mechanism



Including wall magnetic profile



Satinato glass possible (not reversible)



Stabilization bar with towel hook rectangular




CE approved, according to EN12150-1


Article number (L)	Article number (R)	Color	A (cm)	B (cm)	C (cm)
G001019121	G001020121	black	77,7 - 78,9	19,7	58,3
G001019120	G001020120	chrome	77,7 - 78,9	19,7	58,3
G001021121	G001022121	black	87,7 - 88,3	19,7	68,3
G001021120	G001022120	chrome	87,7 - 88,3	19,7	58,3
G001023121	G001024121	black	97,7 - 98,3	29,7	68,3
G001023120	G001024120	chrome	97,7 - 98,3	29,7	68,3
G001025121*	G001026121*	black	117,7 - 118,3	49,7	68,3
G001025120*	G001026120*	chrome	117,7 - 118,3	49,7	68,3
G001027121*	G001028121*	black	137,7 - 138,3	69,7	68,3
G001027120*	G001028120*	chrome	137,7 - 138,3	69,7	68,3
G001029121*	G001030121*	black	157,7 - 158,3	89,7	68,3
G001029120*	G001030120*	chrome	157,7 - 158,3	89,7	68,3

* The included stabilization bar is 1 meter. A longer version can be ordered separately. The 45 degree stabilization bar can be used on this.

Optional



Expanding profile
Chrome
208746



Expanding profile
Black
211419



Stabilization bar 45'
Chrome
208984



Stabilization bar 45'
Black
208962



Stabilization bar chrome
208971 (100cm)
208972 (160cm)




Stabilization bar Black
208960 (100cm)
208961 (160cm)

Data is subject to changes and/or errors

SCANDIC X201

The swing door and side wall of the shower cabine have two attachment points.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Satinato glass possible (not reversible)



Stabilization bar with towel hook rectangular



Door with lift mechanism



CE approved, according to EN12150-1

Article number(L)	Article number(R)	Color	A(cm)	B(cm)
G001031121	G001032121	black	76,8 - 77,2	76,8 - 77,2
G001031120	G001032120	chrome	76,8 - 77,2	76,8 - 77,2
G001033121	G001034121	black	76,8 - 77,2	86,8 - 87,2
G001033120	G001034120	chrome	76,8 - 77,2	86,8 - 87,2
G001035121	G001036121	black	76,8 - 77,2	96,8 - 97,2
G001035120	G001036120	chrome	76,8 - 77,2	96,8 - 97,2
G001037121	G001038121	black	86,8 - 87,2	76,8 - 77,2
G001037120	G001038120	chrome	86,8 - 87,2	76,8 - 77,2
G001039121	G001040121	black	86,8 - 87,2	86,8 - 87,2
G001039120	G001040120	chrome	86,8 - 87,2	86,8 - 87,2
G001041121	G001042121	black	86,8 - 87,2	86,8 - 87,2
G001041120	G001042120	chrome	86,8 - 87,2	86,8 - 87,2
G001043121	G001044121	black	96,8 - 97,2	76,8 - 77,2
G001043120	G001044120	chrome	96,8 - 97,2	76,8 - 77,2
G001045121	G001046121	black	96,8 - 97,2	86,8 - 87,2
G001045120	G001046120	chrome	96,8 - 97,2	86,8 - 87,2
G001047121	G001048121	black	96,8 - 97,2	96,8 - 97,2
G001047120	G001048120	chrome	96,8 - 97,2	96,8 - 97,2

* The included stabilization bar is 1 meter.

Optional



Stabilization bar chrome
208971 (100cm)




Stabilization bar Black
208960 (100cm)

Data is subject to changes and/or errors

SCANDIC X202

The walk-through shower has two side walls and two stabilization bars.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield.



Hardened glass with Riho Shield



Satinato glass possible (not reversible)



Thickness of the glass is 8 mm



Stabilization bar with towel hook rectangular



CE approved, according to EN12150-1

Article number(L=R)	Color	A(cm)	B(cm)
G001049121	black	116	27
G001049120	chrome	116	27
G001050121	black	116	37
G001050120	chrome	116	37
G001051121	black	136	37
G001051120	chrome	136	37
G001052121	black	136	37
G001052120	chrome	136	37

* 2 stabilization rods of 1 meter are included. A longer version can be ordered separately.

Optional



Stabilization bar chrome
208971 (100cm)
208972 (160cm)




Stabilization bar black
208960 (100cm)
208961 (160cm)

Data is subject to changes and/or errors

SCANDIC X203

The cabin consists of two fixed glass walls combined with a door that opens outward.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the lift hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Door with lift mechanism



Satinato glass possible (not reversible)



Stabilization bar with towel hook rectangular



CE approved, according to EN12150-1

Article number(L)	Article number(R)	Color	A(cm)	B(cm)	
G001053121	G001054121	black	76,7 - 77,2	77,3	19,7
G001053120	G001054120	chrome	76,7 - 77,2	77,3	19,7
G001055121	G001056121	black	86,7 - 87,2	87,3	19,7
G001055120	G001056120	chrome	86,7 - 87,2	87,3	19,7
G001057121	G001058121	black	96,7 - 97,3	77,3	29,7
G001057120	G001058120	chrome	96,7 - 97,3	77,3	29,7
G001059121	G001060121	black	96,7 - 97,3	87,3	29,7
G001059120	G001060120	chrome	96,7 - 97,3	87,3	29,7
G001061121	G001062121	black	96,7 - 97,3	97,3	29,7
G001061120	G001062120	chrome	96,7 - 97,3	97,3	29,7
G001063121 *	G001064121 *	black	116,7 - 117,3	77,3	49,7
G001063120 *	G001064120 *	chrome	116,7 - 117,3	77,3	49,7
G001065121 *	G001066121 *	black	116,7 - 117,3	87,3	49,7
G001065120 *	G001066120 *	chrome	116,7 - 117,3	87,3	49,7
G001067121 *	G001068121 *	black	116,7 - 117,3	97,3	49,7
G001067120 *	G001068120 *	chrome	116,7 - 117,3	97,3	49,7
G001069121 *	G001070121 *	black	136,7 - 137,3	87,3	69,7
G001069120 *	G001070120 *	chrome	136,7 - 137,3	87,3	69,7
G001071121 *	G001072121 *	black	136,7 - 137,3	77,3	69,7
G001071120 *	G001072120 *	chrome	136,7 - 137,3	77,3	69,7
G001073121 *	G001074121 *	black	156,7 - 157,3	87,3	89,7
G001073120 *	G001074120 *	chrome	156,7 - 157,3	87,3	89,7
G001075121 *	G001076121 *	black	176,7 - 177,3	87,3	89,7
G001075120 *	G001076120 *	chrome	176,7 - 177,3	87,3	89,7

*Includ stabilisatiestang

Optional



Stabilization bar chrome
208971 (100cm) 208972 (160cm)




Stabilization bar black
208960 (100cm) 208961 (160cm)

Data is subject to changes and/or errors

SCANDIC X204

The cabin consists of two fixed glass walls combined with a door that opens outward.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Door with lift mechanism



Satinato glass possible (not reversible)



Stabilization bar with towel hook rectangular



CE approved, according to EN12150-1

Article number(L)	Article number(R)	Color	A(cm)	B(cm)	C(cm)
G001077121	G001078121	black	76,8 - 77,2	76,8 - 77,2	56,4
G001077120	G001078120	chrome	76,8 - 77,2	76,8 - 77,2	56,4
G001079121	G001080121	black	86,8 - 87,6	86,8 - 87,6	66,4
G001079120	G001080120	chrome	86,8 - 87,6	86,8 - 87,6	66,4
G001081121	G001082121	black	96,8 - 97,2	76,8 - 77,2	66,4
G001081120	G001082120	chrome	96,8 - 97,2	76,8 - 77,2	66,4
G001083121	G001084121	black	96,8 - 97,2	86,8 - 87,6	66,4
G001083120	G001084120	chrome	96,8 - 97,2	86,8 - 87,6	66,4
G001085121*	G001086121*	black	116,8 - 117,2	86,8 - 87,2	66,4
G001085120*	G001086120*	chrome	116,8 - 117,2	86,8 - 87,2	66,4
G001087121*	G001088121*	black	136,8 - 137,2	76,8 - 77,2	66,4
G001087120*	G001088120*	chrome	136,8 - 137,2	76,8 - 77,2	66,4
G001089121*	G001090121*	black	136,8 - 137,2	86,8 - 87,2	66,4
G001089120*	G001090120*	chrome	136,8 - 137,2	86,8 - 87,2	66,4
G001091121*	G001092121*	black	96,8 - 97,2	96,8 - 97,2	66,4
G001091120*	G001092120*	chrome	96,8 - 97,2	96,8 - 97,2	66,4
G001093121*	G001094121*	black	116,8 - 117,2	96,8 - 97,2	66,4
G001093120*	G001094120*	chrome	116,8 - 117,2	96,8 - 97,2	66,4
G001095121*	G001096121*	black	116,8 - 117,2	76,8 - 77,2	66,4
G001095120*	G001096120*	chrome	116,8 - 117,2	76,8 - 77,2	66,4
G001097121*	G001098121*	black	156,8 - 157,2	86,8 - 87,2	66,4
G001097120*	G001098120*	chrome	156,8 - 157,2	86,8 - 87,2	66,4

* Includ stabilisatiestang

Optional



Stabilization bar chrome
208971 (100cm)




Stabilization bar black
208960 (100cm)

Data is subject to changes and/or errors

SCANDIC X207

The two doors open outwards and thus provide a wide entry angle.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Reversible



Thickness of the glass is 8 mm



Satinato glass possible (not reversible)



The glass profile and glass wall provide the bathroom with protection from splashing water.



CE approved, according to EN12150-1



Door with lift mechanism


Article number(L=R)	Color	A(cm)	B(cm)	C(cm)
G001099121	black	76,8 - 77,2	19,7	57,3
G001099120	chrome	76,8 - 77,2	19,7	57,3
G001100121	black	86,8 - 87,2	19,7	67,3
G001100120	chrome	86,8 - 87,2	19,7	67,3

Data is subject to changes and/or errors

SCANDIC X209

The two doors open outwards and thus provide a wide entry angle.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Reversible



Thickness of the glass is 8 mm



Satinato glass possible (not reversible)



The glass profile and glass wall provide the bathroom with protection from splashing water.



CE approved, according to EN12150-1



Door with lift mechanism


Article number(L=R)	Color	A(cm)	B(cm)
G001101121	black	76,8 - 77,2	76,8 - 77,2
G001101120	chrome	76,8 - 77,2	76,8 - 77,2
G001102121	black	86,8 - 87,2	86,8 - 87,2
G001102120	chrome	86,8 - 87,2	86,8 - 87,2
G001103121	black	96,8 - 97,2	76,8 - 77,2
G001103120	chrome	96,8 - 97,2	76,8 - 77,2
G001104121	black	96,8 - 97,2	96,8 - 97,2
G001104120	chrome	96,8 - 97,2	96,8 - 97,2
G001105121	black	96,8 - 97,2	86,8 - 87,2
G001105120	chrome	96,8 - 97,2	86,8 - 87,2
G001106121	black	86,8 - 87,2	76,8 - 77,2
G001106120	chrome	86,8 - 87,2	76,8 - 77,2

Data is subject to changes and/or errors

SCANDIC X309

The two fixed walls and the two centered curved pivot doors, create an R55 shower cabine.

Scandic shower cabine and doors are characterized by minimalist and compact rectangular brass chrome or black hinges. Because of the lift hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Door with lift mechanism



45 Degrees stabilization bar rectangular



Thickness of curved glass is 6 mm



CE approved, according to EN12150-1

Article number(L=R)	Color	A(cm)	B(cm)
G001107121	black	86,8 - 87,2	33,2
G001107120	chrome	86,8 - 87,2	33,2
G001108121	black	96,8 - 97,2	43,2
G001108120	chrome	96,8 - 97,2	43,2
G001109121	black	116,8 - 117,2	63,2
G001109120	chrome	116,8 - 117,2	63,2

Optional



Stabilization bar 45'
Chrome
208984




Stabilization bar 45'
Black
208962

Data is subject to changes and/or errors

SCANDIC X400

The walk-in shower wall comes with a stabilization bar on the larger sizes.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the fixed hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Reversible



Thickness of the glass is 8 mm



Satinato glass possible (not reversible)



Stabilization bar rectangular



CE approved, according to EN12150-1

Article number(L=R)	Color	A(cm)
G001110121	black	74,8 - 75,2
G001110120	chrome	74,8 - 75,2
G001111121	black	84,8 - 85,2
G001111120	chrome	84,8 - 85,2
G001112121*	black	114,8 - 115,2
G001112120*	chrome	114,8 - 115,2
G001113121	black	94,8 - 95,2
G001113120	chrome	94,8 - 95,2
G001114121*	black	134,8 - 135,2
G001114120*	chrome	134,8 - 135,2
G001115121*	black	154,8 - 155,2
G001115120*	chrome	154,8 - 155,2
G001116121*	black	104,8 - 105,2
G001116120*	chrome	104,8 - 105,2

* The included stabilization bar is 1 meter. A longer version can be ordered separately.

Optional



Stabilization bar chrome
208971 (100cm)
208972 (160cm)




Stabilization bar black
208960 (100cm)
208961 (160cm)

Data is subject to changes and/or errors

SCANDIC X402

The walk-in shower wall with a short side panel, comes with a stabilization bar.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the fixed hinges, most cabins are available in a left and right version.



Hardened glass with Riho Shield



Reversible



Thickness of the glass is 8 mm



Satinato glass possible(not reversible)



Stabilization bar rectangular



CE approved, according to EN12150-1

Article number(L=R)	Color	A(cm)	B(cm)
G001124121	black	96,8 - 97,2	29,2
G001124120	chrome	96,8 - 97,2	29,2
G001125121 *	black	106,8 - 107,2	29,2
G001125120 *	chrome	106,8 - 107,2	29,2
G001126121 *	black	116,8 - 117,2	29,2
G001126120 *	chrome	116,8 - 117,2	29,2
G001127121 *	black	136,8 - 137,2	29,2
G001127120 *	chrome	136,8 - 137,2	29,2
G001128121 *	black	156,8 - 157,2	29,2
G001128120 *	chrome	156,8 - 157,2	29,2

* The included stabilization bar is 1 meter. A longer version can be ordered separately.

Optional



Stabilization bar chrome
208971 (100cm)
208972 (160cm)




Stabilization bar black
208960 (100cm)
208961 (160cm)

Data is subject to changes and/or errors

SCANDIC X409

The single fixed bath screen is suitable for most rectangular baths.

Scandic shower cabine and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the lift hinges, most bath screen are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



Reversible



Satinato glass possible (not reversible)



The glass profile and glass wall provide the bathroom with protection from splashing water.



CE approved, according to EN12150-1

Article number (L=R)	Color	A (cm)
G001159121	black	60
G001159120	chrome	60
G001160121	black	70
G001160120	chrome	70
G001161121	black	80
G001161120	chrome	80
G001162121	black	90
G001162120	chrome	90

Optional



Stabilization bar 45'
Chrome
208984




Stabilization bar 45'
Black
208962

Data is subject to changes and/or errors

SCANDIC X107

The single outward rotating bath screen is suitable for most rectangular baths.

Scandic shower enclosures and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the elevator hinges, most bath wall are available in a left and right version.



Hardened glass with Riho Shield



Satinato glass possible (not reversible)



Thickness of the glass is 8 mm



The glass profile and glass wall provide the bathroom with protection from splashing water.



Door with lift mechanism



CE approved, according to EN12150-1


Article number(L)	Article number(R)	Color	A(cm)
G001129121	G001130121	black	79,8 - 80,2
G001129120	G0011130120	chrome	79,8 - 80,2
G001131121	G001132121	black	89,8 - 90,2
G001131120	G001132120	chrome	89,8 - 90,2
G001133121	G001134121	black	99,8 - 100,2
G001133120	G001134120	chrome	99,8 - 100,2

Data is subject to changes and/or errors

SCANDIC X108

The single inward rotating bath screen is suitable for most rectangular baths. For whirlpools, please pay attention to the position of the controls and the clean cap. It is not always possible to place a wall there. Also, in the case of a bathtub with a collar, the wall cannot be turned completely inward.

Scandic shower cabine and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the lift hinges, most bath wall are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



Door with lift mechanism



Satinato glass possible (not reversible)



The glass profile and glass wall provide the bathroom with protection from splashing water.



CE approved, according to EN12150-1


Article number(L)	Article number(R)	Color	A(cm)
G001135121	G001136121	black	64,8 - 65,2
G001135120	G001136120	chrome	64,8 - 65,2
G001137121	G001138121	black	74,8 - 75,2
G001137120	G001138120	chrome	74,8 - 75,2
G001139121	G001140121	black	84,8 - 85,2
G001139120	G001140120	chrome	84,8 - 85,2
G001141121	G001142121	black	94,8 - 95,2
G001141120	G001142120	chrome	94,8 - 95,2

Data is subject to changes and/or errors

SCANDIC X109

The two-piece bath wall, of which the glass part at the wall is fixed, is suitable for most rectangular baths. For whirlpools, pay attention to the position of the controls. It is not always possible to place a wall there. Also, in the case of a bathtub with a collar, the wall cannot be turned completely inward.

Scandic shower cabine and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the lift hinges, most bath wall are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



Door with lift mechanism



Satinato glass possible (not reversible)



The glass profile and glass wall provide the bathroom with protection from splashing water.



CE approved, according to EN12150-1


Article number(L)	Article number(R)	Color	A(cm)	B(cm)
G001143121	G001144121	black	84,7 - 85,3	20
G001143120	G001144120	chrome	84,7 - 85,3	20
G001145121	G001146121	black	89,7 - 90,3	20
G001145120	G001146120	chrome	89,7 - 90,3	20
G001147121	G001148121	black	94,7 - 95,3	30
G001147120	G001148120	chrome	94,7 - 95,3	30
G001149121	G001150121	black	99,7 - 100,3	30
G001149120	G001150120	chrome	99,7 - 100,3	30

Data is subject to changes and/or errors

SCANDIC X109V

The two-piece bath wall, whose glass part at the wall is fixed, is suitable for most rectangular baths.

Scandic shower cabine and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the lift hinges, most bath wall are available in a left and right version.



Left



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



Door with lift mechanism



Satinato glass possible (not reversible)



The glass profile and glass wall provide the bathroom with protection from splashing water.



CE approved, according to EN12150-1


Article number (L)	Article number (R)	Color	A (cm)	B (cm)	C (cm)
G001151121	G001152121	black	84,7 - 85,3	19,7	65,3
G001151120	G001152120	chrome	84,7 - 85,3	19,7	65,3
G001153121	G001154121	black	89,7 - 90,3	19,7	70,3
G001153120	G001154120	chrome	89,7 - 90,3	19,7	70,3
G001155121	G001156121	black	94,7 - 95,3	29,7	65,3
G001155120	G001156120	chrome	94,7 - 95,3	29,7	65,3
G001157121	G001158121	black	99,7 - 100,3	29,7	70,3
G001157120	G001158120	chrome	99,7 - 100,3	29,7	70,3

Data is subject to changes and/or errors

SCANDIC X500

The two-part bath wall, of which both parts can be rotated, is suitable for various specific Riho baths. For whirlpools, please pay attention to the position of the controls. It is not always possible to install a wall there.

Scandic shower cabine and doors are characterized by minimalist and compact rectangular brass chrome or black fixing points. The 8 mm clear glass, which is also available in a Satinato version, is equipped with Riho Shield. Because of the lift hinges, most bath wall are available in a left and right version.



Hardened glass with Riho Shield



Thickness of the glass is 8 mm



Door with lift mechanism



Satinato glass possible (not reversible)



The glass profile and glass wall provide the bathroom with protection from splashing water.



CE approved, according to EN12150-1

Article number(L)	Article number(R)	Colour	A(cm)	Bathtub
G001163121	G001164121	black	82	Yukon
G001163120	G001164120	chrome	82	Yukon
G001165121	G001166121	black	76	Geta 160
G001165120	G001166120	chrome	76	Geta 160
G001167121	G001168121	black	86	Geta 170
G001167120	G001168120	chrome	86	Geta 170
G001169121	G001170121	black	46	Delta 150/160
G001169120	G001170120	chrome	46	Delta 150/160
G001171121	G001172121	black	56	Rethink Space
G001171120	G001172120	chrome	56	Rethink Space

* Left-hand version bath screen belongs on a right-hand bathtub.

Data is subject to changes and/or errors